



**DIVINA**



**argenta**



## REVOLVING DOOR

Thanks to pure lines and invisible hinges, the divina revolving door is the solution for a minimalist eye-catcher in any interior. The optional subdivisions make every interior unique.

### USPs

#### MINIMALIST PROFILES

- Height: 35 mm

#### FLOOR-TO-CEILING REVOLVING DOOR

- Integration invisible tyo
- Magnotica pro invisibly concealed

#### MODULAR AND FLEXIBLE SYSTEM

- Both standard and floor-to-ceiling application
- Easily shortened

### Specifications

#### GLASS THICKNESS

- 8 to 10 mm in tempered glass
- 44.2 to 55.2 in laminated glass

#### DIMENSIONS

- Max. door height = 2600 mm
- Max. door width = 1000 mm

#### OPTIONS

- Self-adhesive, freely positionable crossbars
- In black, white and grey



## FIXED WALL

Thanks to divina glass walls, spaces are easily divided without loss of light or openness. The innovative aluminium structure and glass provide an industrial, minimalist look that fits perfectly in homes, hotels, and restaurants.

### USPs

#### MINIMALIST PROFILES

- Height: 35 mm

#### SIMPLE AND FAST INSTALLATION

- One profile for different glass thicknesses
- Unique and intuitive click system suitable for different glass thicknesses

#### MODULAR AND FLEXIBLE SYSTEM

- Both standard and floor-to-ceiling application
- Easily shortened
- Allows for 5 mm adjustment horizontally and vertically

### Specifications

#### GLASS THICKNESS

- 6 to 10 mm in tempered glass
- 33.1 to 55.2 in laminated glass

#### DIMENSIONS

- Max. height = 2600 mm
- Max. width = 6000 mm
- Max. width per glass plate = 1500 mm

#### OPTIONS

- Self-adhesive, freely positionable crossbars
- In black, white and grey



## FIXED WALL WITH REVOLVING DOOR

Thanks to the invisibly integrated argenta tyo hinges and magnetic lock, all the attention is focused on the design's clean lines.

### USPs

#### FLOOR-TO-CEILING REVOLVING DOOR

- Integration invisible tyo
- Magnotica pro invisibly concealed

#### MINIMALIST PROFILES

#### SIMPLE AND FAST INSTALLATION

- One single profile for different glass thicknesses
- Unique and intuitive click system for glass thickness

#### MODULAR AND FLEXIBLE SYSTEM

- Both standard and floor-to-ceiling application
- Easily shortened
- Allows for 5 mm adjustment horizontally and vertically

### Specifications

#### GLASS THICKNESS

- 8 to 10 mm in tempered glass
- 44.2 to 55.2 in laminated glass

#### DIMENSIONS

- Max. height = 2600 mm
- Max. width = 6000 mm
- Max. width per glass plate = 1500 mm
- Max. door width = 1000 mm

#### OPTIONS

- Self-adhesive, freely positionable crossbars
- In black, white and grey



AVAILABLE IN  
**3 DIFFERENT COLOURS**

WHITE TXT9016



GREY TXT7016



BLACK TXT9005



WITH A  
**STYLISH HANDLE**

WHITE TXT9016



GREY TXT7016



BLACK TXT9005



**CONFIGURE YOUR  
OWN DIVINA**  
OPTIONAL WITH CROSSBAR PROFILES



**ARLU**<sup>®</sup>  
OPENING DOORS

Ter Vlucht 2  
8850 Ardoonie  
Belgium

+32 (0)51 27 05 00  
info@arlu.be  
WWW.ARLU.BE

